

MORTON®


CENTER LATHE



● PICTURE SHOWS CE STANDARD



- Spindle Bore-80mm (3")



OPTIONAL:

FOR FEL-2400 SERIES
X AXIS RAPID TRAVERSE

STANDARD ACCESSORIES:

- MOTOR AND COOLANT SYSTEM
- 4 WAY TOOL POST
- DEAD CENTERS
- CENTER SLEEVE
- SERVICE TOOLS AND TOOLBOX
- OPERATIONAL MANUAL AND SPARE PARTS LIST
- LEVELING BLOCK
- TOUCH UP PAINT

SUPPLEMENT ACCESSORIES:


- 3 JAW SCROLL CHUCK:
FEL-2400 SERIES-250mm
FEL-2600/3000 SERIES-380mm
- 4 JAW INDEPENDENT CHUCK:
FEL-2400 SERIES-320mm (12")
FEL-2600/3000 SERIES-500mm (20")
- FACE PLATE:
FEL-2400 SERIES-500mm (20")
FEL-2600/3000 SERIES-600mm



- Spindle Bore-104mm

OPTIONAL:

FOR FEL-2600/3000 SERIES



- Spindle Bore-156mm with Double chuck.



OPTIONAL:

FOR FEL-2600/3000 SERIES
X+Z AXIS RAPID TRAVERSE

OPTIONAL ACCESSORIES-

- 3 JAW SCROLL CHUCK 500mm (20")
- 4 JAW INDEPENDENT CHUCK 630mm/800mm/1000mm(25/32/40")
- FACE PLATE-660mm/760mm (26/30")
- STEADY REST-MAX 320mm DIA (12")
- STEADY REST-MAX 380mm DIA (15")
- REAR TOOL POST
- MICRO METER BED STOPPER
- TURRET TYPE 4 POSITION BED STOPPER
- FULL LENGTH SPLASH GUARD
- MOVABLE REAR SPLASH GUARD
- QUICK CHANGE TOOL POST
- LONGITUDINAL RAPID TRAVERSE
- CROSS AND LONGITUDINAL RAPID TRAVERSE
- DEAD CARBIDE TIPPED CENTER MT#5
- LIVE CENTERS MT#5
- INTERCHANGEABLE INSERT LIVE CENTER
- BULL NOSE LIVE CENTER
- TAPER TURNING ATTACHMENT
- D.R.O
- HALOGEN WORKING LAMP
- CE MARKS
- FOLLOW REST

